

LTECH



LED Controller Dali 350/700/1050mA 22645 Datasheet

www.ltech-led.eu | ©2020 | Ltech Europe | All Rights Reserved.

Technical Specs

Electronics

| | |
|-------------------------------|----------------|
| LED Output Voltage (V DC) | 3~46V |
| LED Output Current (max per o | 350~1050 |
| Power consumption (W) | 50 |
| Power Supply | Not applicable |
| LED outputs | 1 |

Control

| | |
|----------------------|--------------|
| Output signal | PWM-CC |
| Protocol | DALI |
| Dimming Range | 0~100% |
| Dimming Curve | Logaritmic |
| Driver Configuration | Dip Switches |

Wiring

| | |
|-------------------|--------|
| Wire Strip Length | 5mm |
| Wire type | 2,5mm2 |

Protection

| | |
|------------------|-----|
| Reverse Polarity | Yes |
|------------------|-----|

Environmental

| | |
|-----------------------|-------------|
| Operating temperature | -30 ~ 55 °C |
| Ingress protection | IP20 |

EU Declaration of Conformity

2014/30/EU Electromagnetic C EN55015: 2006+A1:2007+A2:2009,
 EN 61547:2009, EN61000-3-2:2006+A1:2009+A2:2009,
 EN61000-3-3:2008

Regulations

Approvals

| | |
|-----|------------------|
| CE | √ |
| FCC | FCC Part 15:2008 |



Order information

| Code | Description |
|------|-------------|
|------|-------------|

| | |
|-------|------------------------------------|
| 22645 | LED Controller Dali 350/700/1050mA |
|-------|------------------------------------|

